# SPECIFICATION



台灣台中市豐原區三豐路 957-16 號 No.957-16 San Feng Rd. Feng Yuan DIST., Taichung City, Taiwan TEL:04-25270346 FAX:886-4-25270348 http://www.liandung.com.tw E-mail:liandung@liandung.com.tw

客戶名稱:(CUSTOMER NAME)

TME

客戶料號:(CUSTOMER PART NO.) SN311-3/10/5BK、SN311-3/10/5WH、SN311-3/10/5GY

CORD ISSUE	:LT-322- :H05VV- :LD-QA- :MAR-12	F 3G	∙ WF	IT、GRY 5m
核		審	制衣	國羅
准		核	表	HT.

# **1. PVC FLEXIBLE CORD**

## 1.1 SCOPE

This specification shall be in accordance with IEC 227 Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V

# **1.2 CONSTRUCTION**

CONDUCTOR	ANNEALED COPPER WIRE
INSULATION	PVC(Blue, Brown, Green / Yellow)
INSOLATION	MEAN VALUE OF THICKNESS : MIN.0.6mm
SHEATH	PVC
SHEATH	MEAN VALUE OF THICKNESS : MIN.0.8mm

	ITEM	UNIT	SPEC.VALUE
RATED VOLTAGE	( Uo/U)	V/V	300/500
NO. OF CORE		NO.	3
	NOMINAL AREA	mm <sup>2</sup>	1.0
CONDUCTOR	CONSTRUCTION	NO/mm	40/0.18 or 32/0.20
THICKNESS OF IN	SULATION	mm	0.6
THICKNESS OF SI	HEATH	mm	0.8
NOMINAL OVERAI	L DIAMETER	mm	7.0±0.2
CONDUCTOR RES	SISTANCE(AT 20℃)	ohm/km	19.5(Max.)
TEST VOLTAGE		V/min	2000/15

#### 1.3 SOURCE FOR FLEXIBLE CORD

RHYTHM

• I-SHENG

# 2. PLUG

# 2.1 SCOPE

The plug shall be in accordance with CEE 7 Specification for Plugs and Socket-Outlets for Domestic and Similar Purposes

# 2.2 CONSTRUCTION

The plug construction shall be in accordance with our Catalogue NO.LT-322

# 2.3 CHARACTERISTICS

NO	TEST ITEM	SPEC. VALUE	TEST RESULTS
1.	Moisture resistance test	Samples are kept in a humidity cabinet containing air with a relative humidity between 91 to 95% and a temperature of $20 \sim 30^{\circ}$ C for a duration of 48 hours.	No damage
2.	Electric strength test	A voltage of A.C.2000V is applied for 1 min.after the moisture resistance test.	No flashover and breakdown
3.	Insulation resistance test	This test is measured with a D.C.500V after the moisture resistance test.	Min 5 M Ohm
4.	Normal operation test	The plug is inserted into and withdraw from the socket-outlets 5000 times at rated current. And they shall withstand an electric strength.	Withstand 1500v/1min
5.	Temperature rise test	An alternating current of 10A is passed through poles for 1 hours.	Max.45°∁at any points
6.	Bending test The samples shall be loaded with a weight of 10N(1.02kg) and the oscillating number shall be moved backward and forward through an angle of 90°(45°on either side of the vertical) the number of flexing being 10,000.The rated current of plug is passed through the conductors.After the test, the voltage drop shall not exceed 10mv.		

NO	TEST ITEM	SPEC. VALUE	TEST RESULTS
7.	Tumbling test	No damage	
8.	Cold impact test	The samples are kept in a refrigerator at a temperature of $-15\pm2^{\circ}$ , for at least 16 hours The samples are then allowed to fall by the hammer from a height of 10cm.	No damage
9.	Abrasion test	The pin of sample slopes downwards at angles of 10 to the horizontal. The sample is loaded with a force of 4N(0.41kg)on the pin. The number of movement is 10000,and the length of pin subjected to abrasion is approximately 7mm over the insulating collar.	No damage
10.	Heat deformation test	The samples are kept for 1 hour in a heating cabinet at temperature of $100\pm5^{\circ}$ C.	No damage
11.	Heat pressure test	The samples are applied 20N(2.04kg) at a temperature of $80\pm2^{\circ}$ for 1 hr.	No damage
12.	Aging test	The samples are kept for 168 hours in a heating cabinet at temperature of $80\pm2^{\circ}$ C.	No damage
13.	Deformation resistance at higher temperature test	The test temperature is 70°C for 6 hours .The test weight is 1N(0.11kg). The diameter of the ball impression shall not be greater than 3mm.	No damage
14.	Pressure test	No damage	

# 3. CONNECTOR

## 3.1 SCOPE

The connector shall be in accordance with CEE IEC 320 (Appliance coupler).

## 3.2 CONSTRUCTION

The connector construction shall be in accordance with our Catalogue NO.LT-501.

# 3.3 CHARACTERISTICS

NO	TEST ITEM	SPEC. VALUE	TEST RESULTS		
1.	Moisture resistance test	Samples are kept in a humidity cabinet containing air with a relative humidity between 91 to 95% and a temperature of $20 \sim 30^{\circ}$ for a duration of 48 hours.	No damage		
2.	Electric strength test	A voltage of A.C.2000V is applied for 1 min. after the moisture resistance test.	No flashover and breakdown		
3.	Insulation resistance test	This test is measured with a D.C.500V after the moisture resistance test.	Min.5 M Ohm.		
4.	Flexing test	The sample shall be loaded with a weight of 10N(1.02kg) and the oscillating number shall be moved backward and forward through an angle of 90°(45°on either side of the vertical) the number of flexing being 20,000. The sample is turned through 90°after 5000 flexing.	No damage		
5.	Tumbling test	Imbling test The samples are drop from a height of 50cm onto a plywood base(10mm thick) for a total of 1000 times			
6.	Cold test	The samples are kept in a refrigerator at a temperature of -15 $\pm$ 2 $^{\circ}$ C,for 1 hour.	No damage		
7.	Heat Deformation test	The samples are kept for 1 hour in a heating cabinet at temperature of $70\pm2^{\circ}C$ .	No damage		

					5000	±50			- 1
×		]							
NOTE: 1. PLUG: LT-322 EUROPEAN TYPE 2. CONNECTOR: LT-501 IEC-320 C13 3. CORD: H05VV-F 3G1.0mm <sup>2</sup> BLK、WHT、GRY 5m 4. APPROVALS: OVE SEMKO FIMKO VDE KEMA LCIE NEMKO DEMNO GOST CEBEC 5. CUSTOMER: TME 6. Supplier for flexible cord: RHYTHM、I-SHENG 7. P/N: SN311-3/10/5BK、SN311-3/10/5GY									
3.			DRAWER	Qunmin	DATE	13/03/11	TITLE	LT-322+501	
2.			APPROVE		REV.	2	Dr.No.	1010929	LIAN DUNG
1.			-	$\square$	比例		TOL.	±5mm	LIAN DUNG ELECTRIC WIRE MATERIAL CO.,LTD. 聯東電線材料股份有限公司
PART	DESCRIPTION	DATE	$  \Psi$				ALL DIME	ENSIONS IN mm	



