

# Eaton 1000NHG4G

Catalog Number: 1000NHG4G

Fuse-link, LV, 1000 A, AC 500 V, NH4, gL/gG, IEC, single indicator, live gripping lugs



## General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage NH Fuse	1000NHG4G
EAN	Packing Unit
5027590278256	Pack
Gross Weight	Quantity
2.196 kg	1
Width	Length
220 mm	130 mm
Volume	Height
3289 cm <sup>3</sup>	115 mm
Product Length/Depth	ERP Name
200 mm	SAP-UNITY
Product Width	Product Height
102 mm	115 mm
Compliances	Product Weight
CE Marked	2196 g
RoHS Compliant	Certifications
	IEC 60269-1
	IEC 60269-2
	DIN 43620

Model Code  
500V 1000A NH4 FUSE gG

## Type

Fuse

Biuletyny usług serwisowych

Datasheet - 1000NHG4G (PL)

## Application

industrial  
Utilities, Solar, Wind

## Amperage Rating

1000 A

## Fitted with:

Metal gripping lugs

## Fuse size

NH4

## Current type

AC

## Breaking capacity

120 kA

## Rated switching capacity

120 kA

## Rated voltage AC

500 V

## Class

Class gG/gL

## Fuse type

Square body with knife blade contact

## Utilization category

gL/gG (cable protection/equipment protection)

## Interrupt rating

120 kAIC

## Fuse indicator

Top fuse status indicator

## Insulated metal gripping lugs (IMGL)

No

## Watt losses

80 W

## Connection

Blade end

#### Construction

NH4

#### Construction size

NH4

#### Fuse shape

Slotted blade contacts

Square body

#### Voltage type

AC

#### Suitable for

SD4-S NH Fuse base

EBH Size 00 to 4 Horizontal fuse switch-disconnectors

#### Material

Ceramic body

#### Quantity

3

#### Voltage rating

500 V

#### Rated switching capacity AC

120 kA



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. Wszelkie  
prawa zastrzeżone.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)