

Eaton 20NHG01B

Catalog Number: 20NHG01B

Eaton Bussmann series low voltage NH Fuse, Live gripping lug, 500V, 20A, 120 kAIC, Combination fuse status indicator, fuse, Blade end connection, Class C gL/gG, Square-body with knife blade contact, Ceramic body

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage NH Fuse	20NHG01B
	Packing Unit
	Pack
	Case Pack
EAN	Quantity
5027590147750	3
5027590363648	36
Gross Weight	Length
0.884 kg	137 mm
11 kg	325 mm
Width	Height
102 mm	68 mm
290 mm	155 mm
Volume	ERP Name
950.232 cm ³	SAP-UNITY
14608.75 cm ³	SAP-UNITY
Product Length/Depth	Product Height
135 mm	57.8 mm
Product Width	Product Weight
29.55 mm	295 g



Compliances

RoHS Compliant

Certifications

IEC 60269-1

defaultTaxonomyAttributeLabel

Do pobrania

DIN 43620

Type

fuse

Special features

Live gripping lug

Application

industrial

Utilities, Solar, Wind

Amperage Rating

20 A

Fitted with:

Metal gripping lugs

Fuse size

NH01

Current type

AC

Breaking capacity

120 kA

Frequency rating - max

62 Hz

Frequency rating - min

45 Hz

Rated switching capacity

120 kA

Rated voltage AC

500 V

Class

Class gG/gL

Fuse type

Square body with knife blade contact

Utilization category

gL/gG (cable protection/equipment protection)

Interrupt rating

120 kAIC

Fuse indicator

Combination fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Connection

Blade end

Construction

NH01

Construction size

NH01

Fuse shape

Knife blade contacts

Square body

Voltage type

AC

Suitable for

Microswitch 170H0235

Material

Ceramic body

Quantity

3

Voltage rating

500 V