

# Eaton 355NHG2B

Catalog Number: 355NHG2B

Eaton Bussmann series low voltage NH Fuse, Live gripping lug, 500V, 355A, 120 kAIC, Combination fuse status indicator, fuse, Blade end connection, Class C gL/gG, Square-body with knife blade contact, Ceramic body



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series low voltage NH Fuse	355NHG2B
	<b>Packing Unit</b>
	Pack
	Case Pack
<b>EAN</b>	<b>Quantity</b>
5027590200271	3
5027590364577	24
<b>Gross Weight</b>	<b>Length</b>
1.955 kg	153 mm
16.474 kg	365 mm
<b>Width</b>	<b>Height</b>
172 mm	76 mm
320 mm	165 mm
<b>Volume</b>	<b>ERP Name</b>
2000.016 cm <sup>3</sup>	SAP-UNITY
19272 cm <sup>3</sup>	SAP-UNITY
<b>Product Length/Depth</b>	<b>Product Height</b>
150 mm	71 mm
<b>Product Width</b>	<b>Product Weight</b>
54 mm	616.333 g

## Compliances

CE Marked

## Certifications

IEC 60269-1

defaultTaxonomyAttributeLabel

Do pobrania

DIN 43620

### Type

fuse

### Model Code

NH FUSE 355A 500V GG/GL SIZE 2

### Special features

Live gripping lug

### Application

industrial

Utilities, Solar, Wind

### Amperage Rating

355 A

### Fitted with:

Metal gripping lugs

### Fuse size

NH02

### Current type

AC

### Breaking capacity

120 kA

### Frequency rating - max

62 Hz

### Frequency rating - min

45 Hz

### Rated switching capacity

120 kA

### Rated voltage AC

500 V

### Class

Class gG/gL

### Fuse type

Square body with knife blade contact

### Utilization category

gL/gG (cable protection/equipment protection)

### Interrupt rating

120 kAIC

Fuse indicator

Combination fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Connection

Blade end

Construction

NH2

Construction size

NH2

Fuse shape

Square body

Knife blade contacts

Voltage type

AC

Suitable for

Microswitch BVL50

Material

Ceramic body

Quantity

3

Voltage rating

500 V



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. Wszelkie  
prawa zastrzeżone.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



Eaton.com/socialmedia