

# Eaton 355NHG2BI-400

Catalog Number: 355NHG2BI-400

Fuse-link, LV, 355 A, AC 400 V, NH2, gL/gG, IEC, dual indicator, insulated gripping lugs



## General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage NH Fuse	355NHG2BI-400
	Packing Unit
	Case Pack
	Pack
EAN	Quantity
5027590342957	24
5027590146418	3
Gross Weight	Length
15.199 kg	385 mm
2.018 kg	153 mm
Width	Height
280 mm	175 mm
172 mm	76 mm
Volume	ERP Name
19193.65 cm <sup>3</sup>	SAP-UNITY
2000.016 cm <sup>3</sup>	SAP-UNITY
Product Length/Depth	Product Height
150 mm	71 mm
Product Width	Product Weight
54 mm	673 g
Compliances	Certifications
CE Marked	IEC 60269-1
RoHS Compliant	IEC 60269-2
	DIN 43620

**Type**

Fuse

Biuletyny usług serwisowych

Datasheet - 355NHG2BI-400 (PL)

**Application**

industrial  
Utilities, Solar, Wind

**Amperage Rating**

355 A

**Fitted with:**

Insulated metal gripping lugs

**Fuse size**

NH2

**Current type**

AC

**Breaking capacity**

120 kA

**Frequency rating - max**

62 Hz

**Frequency rating - min**

45 Hz

**Rated switching capacity**

120 kA

**Rated voltage AC**

400 V

**Class**

Class gG/gL

**Fuse type**

Square body with knife blade contact

**Accessory/spare part type**

SDL-2 Solid link  
FEH- Fuse extraction handle  
SD12-SK Shroud kit  
SD12-PB 2-phase barriers and 2 ganging links  
TD2-IP20 Triple pole protection kit

**Utilization category**

gL/gG (cable protection/equipment protection)

#### Interrupt rating

120 kAIC

#### Fuse indicator

Combination fuse status indicator

#### Insulated metal gripping lugs (IMGL)

Yes

#### Watt losses

22 W

#### Connection

Blade end

#### Construction

NH2

#### Construction size

NH2

#### Fuse shape

Square body

Knife blade contacts

#### Voltage type

AC

#### Suitable for

SD2-D Single pole NH Fuse base

TD2-D Tripe pole NH Fuse base

Microswitch 170H0235

Microswitch 170H0236

EBH Size 00 to 4 Horizontal fuse switch-disconnectors

#### Material

Ceramic body

#### Quantity

3

#### Voltage rating

400 V

#### Rated switching capacity AC

120 kA



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. Wszelkie  
prawa zastrzeżone.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)