

LV HRC FUSE LINK GL/GG WITH NON-INSULATED GRIP LUGS WITH FRONT INDICATOR SIZE 000, 10A, AC 500V/DC 250V

Model		
product brand name		SENTRON
Product designation		LV HRC fuse link
Design of an identification indicator		Front indicators
Design of the switching contact		Non-corroding, silver-plated
Design of the fuse link		LV HRC fuse link
General technical data		
Size of fuse system / acc. to DIN EN 60269-1		NH000
Operating class of the fuse link		gG
circuit-breaker / Design		3NA3
Mounting type		Non-insulated grip lugs
Supply voltage		
• at AC / rated value	V	500
• at DC	V	250
Protection class		
Protection class IP		IP20, with connected conductors
Switching capacity		
Switching capacity current		
• at DC / acc. to IEC 60947-2 / rated value	kA	25
• acc. to IEC 60947-2 / rated value	kA	120
Dissipation		
Power loss [W]		
• for rated value of the current / at AC / in hot operating state / per pole	W	1
Electricity		
rated current I <sub>n</sub> / IEC, DIN/VDE / at 40 Cel	A	9.5
Current / at AC / rated value	A	10
Mechanical Design		
Mounting position		Any, preferably vertical
Net weight	g	128
Environmental conditions		
Ambient temperature		

- minimum
- maximum
- during storage / Note

°C	-5
°C	40
	Air humidity 90% at 20 °C
<b>Environmental category</b>	-20 to +50 at 95% relative humidity

## Certificates

### Equipment marking

- acc. to DIN EN 61346-2
- acc. to DIN EN 81346-2

F  
F

### General Product Approval

### Declaration of Conformity

### Test Certificates



KEMA



VDE



EG-Konf.

[spezielle Prüfbescheinigungen](#)

[Typprüfbescheinigung/Werkszeugnis](#)

[n](#)

### Test Certificates

[sonstig](#)



GL

### Shipping Approval

### other

[Umweltbestätigung](#)

[sonstig](#)

## Further information

### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

### Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/3NA3803>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3NA3803/all>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mfb=3NA3803](http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=3NA3803)

### CAX-Online-Generator

<http://www.siemens.com/cax>

### Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

22.03.2016