

# PRODUCT SPECIFICATION


|                         |   |
|-------------------------|---|
| <b>Brand</b>            | C.K   |
| <b>Product Range</b>    | Triton ESD Screwdrivers   |
| <b>Catalogue number</b> | 4852ESD, 4718ESD, 4722ESD, 4723ESD,<br>4725ESD, 4730ESD, 4741ESD, 4797ESD |
| <b>Date</b>             | 12/11/2008  |

**Range Description**

A range of screwdrivers with ESD protection

**Features**

- Tri-lobe handles for comfort in use and effective delivery of torque
- Electro Statically Dissipative to protect sensitive electronic components
- Blades made from premium quality Chrome Vanadium Molybdenum steel for strength
- Tips accurately machined for the ultimate screw fit



4718




4722




4723




4725



4730



4741



| Item Number   | Item Description  | EAN No        | Commodity code | Carton Qty |
|---------------|---|---------------|----------------|------------|
| T4582ESD      | Triton ESD Bit Holder   | -             | 82054000       | 6          |
| T4718ESD 08   | Triton ESD Screwdriver Tamper Proof TX8 x 70mm  | -             | 82054000       | 6          |
| T4718ESD 0820 | Triton ESD Screwdriver Tamper Proof TX8 x 200mm   | -             | 82054000       | 6          |
| T4718ESD 09   | Triton ESD Screwdriver Tamper Proof TX9 x 70mm  | -             | 82054000       | 6          |
| T4718ESD 10   | Triton ESD Screwdriver Tamper Proof TX10 x 80mm   | -             | 82054000       | 6          |
| T4718ESD 1030 | Triton ESD Screwdriver Tamper Proof TX10 x 300mm  | -             | 82054000       | 6          |
| T4718ESD 15   | Triton ESD Screwdriver Tamper Proof TX15 x 80mm   | -             | 82054000       | 6          |
| T4718ESD 1530 | Triton ESD Screwdriver Tamper Proof TX15 x 300mm  | -             | 82054000       | 6          |
| T4718ESD 20   | Triton ESD Screwdriver Tamper Proof TX20 x 90mm   | -             | 82054000       | 6          |
| T4722ESD 0    | Triton ESD Screwdriver PH0 x 60mm   | -             | 82054000       | 6          |
| T4722ESD 1    | Triton ESD Screwdriver PH1 x 80mm   | -             | 82054000       | 6          |
| T4722ESD 13   | Triton ESD Screwdriver PH1 x 300mm  | -             | 82054000       | 6          |
| T4722ESD 2    | Triton ESD Screwdriver PH2 x 100mm  | -             | 82054000       | 6          |
| T4722ESD 23   | Triton ESD Screwdriver PH2 x 300mm  | -             | 82054000       | 6          |
| T4723ESD 0    | Triton ESD Screwdriver PZD0 x 60mm  | -             | 82054000       | 6          |
| T4723ESD 1    | Triton ESD Screwdriver PZD1 x 80mm  | -             | 82054000       | 6          |
| T4723ESD 2    | Triton ESD Screwdriver PZD2 x 100mm   | -             | 82054000       | 6          |
| T4725ESD 03   | Triton ESD Screwdriver Slotted 3 x 75mm   | -             | 82054000       | 6          |
| T4725ESD 04   | Triton ESD Screwdriver Slotted 3 x 100mm  | -             | 82054000       | 6          |
| T4725ESD 05   | Triton ESD Screwdriver Slotted 5 x 125mm  | -             | 82054000       | 6          |
| T4725ESD 10   | Triton ESD Screwdriver Slotted 5 x 250mm  | -             | 82054000       | 6          |
| T4725ESD 41   | Triton ESD Screwdriver Slotted 4 x 100mm  | -             | 82054000       | 6          |
| T4730ESD      | Triton ESD Screwdriver TX Tamperproof Set/5: TX08, TX09, TX10, TX15, TX20   | 5015969005721 | 82054000       | 3          |
| T4741ESD      | Triton ESD Screwdrivers Slotted /PZD Set/6: Slotted 3.0x75, 3.0x100, 5.0x135mm. PZD0x60, PZD1x80, PZD2x100            | 5013969005714 | 82054000       | 3          |
| T4741SESD     | Triton ESD Screwdrivers Slotted /PH Set/6: Slotted 3.0x75, 3.0x100, 5.0x135mm. PH0x60, PH1x80, PH2x100                | 5013969005738 | 82054000       | 3          |
| T4797ESD      | Triton ESD Screwdrivers Long Reach Slotted/PH/TX Set/6: Slotted 5x250, PH1x300, PH2x300, TX08x200, TX10x300, TX15x300 | 5013969987034 | 82054000       | 1          |

|                                    |   |
|------------------------------------|---|
| Technical product information      | <p><b>Blade/Shaft</b></p> <p>Made from chrome molybdenum vanadium steel, hardened to 57-59 HRC, with black non peel finish.</p> <p><b>Handle</b></p> <p>The handle core is polypropylene, injection moulded around the blade<br/>The handles are shatterproof down to -35° C. and are electrostatically dissipative to DIN EN 61340 5,1 &amp; 5,2</p> |
| Standards compliance               | <p><b>Slotted screwdrivers</b><br/>DIN 5265, DIN 5263, DIN 5264A</p> <p><b>PZD/SDV Screwdrivers</b><br/>DIN 5262-B-PZ, DIN 5260-PZ, DIN/ISO 8764-1 &amp; 2</p> <p><b>PH Screwdrivers</b><br/>DIN 5262-B-PH, DIN 5260-PH, DIN/ISO 8764-1 &amp; 2</p>   |
| User health and safety information | None applicable   |
| RoHS/WEEE compliance               | This product range does not fall within the scope of RoHS or WEEE regulations   |
| Material safety data               | None applicable   |
| Warranty                           | C.K Tools are guaranteed for life against imperfect materials or workmanship<br>Normal wear and tear or damage caused through inappropriate use is not covered  |
| Country of origin                  | Germany   |

## Dimensional details

| Item             | Product only |          |           |              | Product on primary packaging |          |           |                |
|------------------|--------------|----------|-----------|--------------|------------------------------|----------|-----------|----------------|
|                  | Width mm     | Depth mm | Height mm | Net weight g | Width mm                     | Depth mm | Height mm | Gross weight g |
| T4582ESD         | 32           | 32       | 225       | 95           |                              |          |           |                |
| T4718ESD<br>08   | 26           | 26       | 150       | 29           |                              |          |           |                |
| T4718ESD<br>0820 | 26           | 26       | 280       | 36           | -                            | -        | -         | -              |
| T4718ESD<br>09   | 26           | 26       | 150       | 29           | -                            | -        | -         | -              |
| T4718ESD<br>10   | 29           | 29       | 170       | 40           | -                            | -        | -         | -              |
| T4718ESD<br>1030 | 29           | 29       | 390       | 52           | -                            | -        | -         | -              |

|               |    |    |     |     |     |     |    |     |
|---------------|----|----|-----|-----|-----|-----|----|-----|
| T4718ESD 15   | 29 | 29 | 170 | 42  | -   | -   | -  | -   |
| T4718ESD 1530 | 29 | 29 | 390 | 58  | -   | -   | -  | -   |
| T4718ESD 20   | 29 | 29 | 180 | 46  | -   | -   | -  | -   |
| T4722ESD 0    | 22 | 22 | 130 | 23  | -   | -   | -  | -   |
| T4722ESD 1    | 29 | 29 | 170 | 54  | -   | -   | -  | -   |
| T4722ESD 13   | 29 | 29 | 390 | 85  | -   | -   | -  | -   |
| T4722ESD 2    | 32 | 32 | 200 | 77  | -   | -   | -  | -   |
| T4722ESD 23   | 32 | 32 | 400 | 121 | -   | -   | -  | -   |
| T4723ESD 0    | 23 | 23 | 130 | 22  | -   | -   | -  | -   |
| T4723ESD 1    | 29 | 29 | 170 | 51  | -   | -   | -  | -   |
| T4723ESD 2    | 32 | 32 | 200 | 77  | -   | -   | -  | -   |
| T4725ESD 03   | 23 | 23 | 145 | 21  | -   | -   | -  | -   |
| T4725ESD 04   | 26 | 26 | 180 | 31  | -   | -   | -  | -   |
| T4725ESD 05   | 29 | 29 | 215 | 58  | -   | -   | -  | -   |
| T4725ESD 10   | 29 | 29 | 40  | 77  | -   | -   | -  | -   |
| T4725ESD 41   | 29 | 29 | 190 | 44  | -   | -   | -  | -   |
| T4730ESD      | -  | -  | -   | -   | 111 | 320 | 35 | 186 |
| T4741ESD      | -  | -  | -   | -   | 115 | 320 | 35 | 260 |
| T4741SESD     | -  | -  | -   | -   | 115 | 320 | 35 | 264 |
| T4797ESD      | -  | -  | -   | -   | -   | -   | -  | -   |

| Item          | Shelf box (secondary packaging) |          |           |                | Euro Pallet data<br>Wi x Hi |                     |
|---------------|---------------------------------|----------|-----------|----------------|-----------------------------|---------------------|
|               | Width mm                        | Depth mm | Height mm | Gross weight g | No of cartons on base       | Number of rows high |
| T4582ESD      | 110                             | 230      | 40        | 651            |                             |                     |
| T4718ESD 08   | 80                              | 160      | 35        | 221            |                             |                     |
| T4718ESD 0820 | 90                              | 283      | 40        | 283            |                             |                     |
| T4718ESD 09   | 80                              | 160      | 35        | 221            |                             |                     |
| T4718ESD 10   | 100                             | 173      | 35        | 294            |                             |                     |
| T4718ESD 1030 | 110                             | 393      | 40        | 418            |                             |                     |
| T4718ESD 15   | 100                             | 173      | 35        | 306            |                             |                     |
| T4718ESD 1530 | 110                             | 393      | 40        | 454            |                             |                     |
| T4718ESD 20   | 100                             | 183      | 35        | 330            |                             |                     |
| T4722ESD 0    | 60                              | 160      | 35        | 177            |                             |                     |

|             |     |     |     |     |  |  |
|-------------|-----|-----|-----|-----|--|--|
| T4722ESD 1  | 100 | 173 | 35  | 378 |  |  |
| T4722ESD 13 | 110 | 393 | 40  | 616 |  |  |
| T4722ESD 2  | 110 | 230 | 40  | 543 |  |  |
| T4722ESD 23 | 110 | 403 | 40  | 832 |  |  |
| T4723ESD 0  | 60  | 160 | 35  | 171 |  |  |
| T4723ESD 1  | 100 | 173 | 35  | 360 |  |  |
| T4723ESD 2  | 110 | 230 | 40  | 543 |  |  |
| T4725ESD 03 | 60  | 160 | 35  | 165 |  |  |
| T4725ESD 04 | 100 | 183 | 35  | 240 |  |  |
| T4725ESD 05 | 110 | 230 | 40  | 429 |  |  |
| T4725ESD 10 | 110 | 343 | 40  | 568 |  |  |
| T4725ESD 41 | 100 | 193 | 35  | 318 |  |  |
| T4730ESD    | 138 | 322 | 136 | 694 |  |  |
| T4741ESD    | 138 | 322 | 136 | 939 |  |  |
| T4741SESD   | 138 | 322 | 136 | 951 |  |  |
| T4797ESD    | 110 | 403 | 40  | 540 |  |  |

## Packaging waste details

| Item          | Primary Packaging |     |        |     | Secondary packaging |     |        |     |
|---------------|-------------------|-----|--------|-----|---------------------|-----|--------|-----|
|               | Plastic g         | Use | Card g | Use | Plastic g           | Use | Card g | Use |
| T4582ESD      |                   |     |        |     |                     |     | 81     | Box |
| T4718ESD 08   |                   |     |        |     |                     |     | 47     | Box |
| T4718ESD 0820 |                   |     |        |     |                     |     | 67     | Box |
| T4718ESD 09   |                   |     |        |     |                     |     | 47     | Box |
| T4718ESD 10   |                   |     |        |     |                     |     | 54     | Box |
| T4718ESD 1030 |                   |     |        |     |                     |     | 106    | Box |
| T4718ESD 15   |                   |     |        |     |                     |     | 54     | Box |
| T4718ESD 1530 |                   |     |        |     |                     |     | 106    | Box |
| T4718ESD 20   |                   |     |        |     |                     |     | 54     | Box |
| T4722ESD 0    |                   |     |        |     |                     |     | 39     | Box |
| T4722ESD 1    |                   |     |        |     |                     |     | 54     | Box |
| T4722ESD 13   |                   |     |        |     |                     |     | 106    | Box |
| T4722ESD 2    |                   |     |        |     |                     |     | 81     | Box |
| T4722ESD 23   |                   |     |        |     |                     |     | 106    | Box |
| T4723ESD 0    |                   |     |        |     |                     |     | 39     | Box |
| T4723ESD 1    |                   |     |        |     |                     |     | 54     | Box |

|             |  |  |  |     |  |  |     |     |
|-------------|--|--|--|-----|--|--|-----|-----|
| T4723ESD 2  |  |  |  |     |  |  | 80  | Box |
| T4725ESD 03 |  |  |  |     |  |  | 38  | Box |
| T4725ESD 04 |  |  |  |     |  |  | 54  | Box |
| T4725ESD 05 |  |  |  |     |  |  | 80  | Box |
| T4725ESD 10 |  |  |  |     |  |  | 105 | Box |
| T4725ESD 41 |  |  |  |     |  |  | 54  | Box |
| T4730ESD    |  |  |  | Box |  |  | 159 | Box |
| T4741ESD    |  |  |  | Box |  |  | 159 | Box |
| T4741SESD   |  |  |  | Box |  |  | 159 | Box |
| T4797ESD    |  |  |  | Box |  |  | 106 | Box |