

**PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION**

**Part Number:** [0733910080](#)  
**Status:** **Active**  
**Overview:** [SMA RF Connectors](#)  
**Description:** 50 Ohms, SMA Right-Angle PCB Jack, Nickel (Ni) Plated, 80 Pieces Per Tray

**Documents:**

|                                |  |
|--------------------------------|--|
| <a href="#">Drawing (PDF)</a>  | <a href="#">HFSS Model</a>                           |
| <a href="#">3D Model</a>       | <a href="#">RoHS Certificate of Compliance (PDF)</a> |
| <a href="#">3D Model (PDF)</a> |  |

**General**

|                 |                                   |
|-----------------|-----------------------------------|
| Product Family  | RF/Coax Connectors                |
| Series          | <a href="#">73391</a>             |
| Overview        | <a href="#">SMA RF Connectors</a> |
| Product Name    | SMA                               |
| Style           | PCB                               |
| Taxonomy        | RF / Coaxial Connectors           |
| Type            | Subminiature                      |
| UPC             | 756054714959                      |
| Wire/Cable Type | N/A                               |

**Physical**

|                       |              |
|-----------------------|--------------|
| Gender                | Jack         |
| Keying to Mating Part | None         |
| Net Weight            | 2.952/g      |
| Orientation           | Right Angle  |
| PCB Mounting          | Through Hole |
| Packaging Type        | Tray         |
| Panel Mount           | No           |
| Panel Mount Method    | N/A          |

**Electrical**

|                 |                             |
|-----------------|-----------------------------|
| Frequency       | 18 GHz                      |
| Impedance       | 50Ω                         |
| Power / Voltage | VOLTAGE: 500 Vrms@Sea Level |

**Solder Process Data**

|  |          |
|--|----------|
| Duration at Max. Process Temperature (seconds) | 010      |
| Lead-freeProcess Capability                    | SMC&WAVE |
| Max. Cycles at Max. Process Temperature        | 002      |
| Process Temperature max. C                     | 260      |

**Material Info**

**Reference - Drawing Numbers**

|               |                  |
|---------------|------------------|
| Sales Drawing | SD-73391-008-001 |
|---------------|------------------|



*Series image - Reference only*

**EU ELV**

**Not Relevant**

**EU RoHS**

**Compliant with Exemption 6(c)**

**REACH SVHC**

Contained Per -  
D(2022)4187-DC (10  
June 2022)

Lead

**Halogen-Free**

**Status**

**Low-Halogen**

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

**China RoHS**

50 Image

Not Relevant

Not Contained

**Search Parts in this Series**

[73391 Series](#)