

PRODUCT-DETAILS

SRPE-12-0

SPIRAL WRAP UV BLK POLYETHYL 12MMOD



General Information

Extended Product Type	SRPE-12-0
Product ID	7TCG054090R0220
EAN	5414363174684
Catalog Description	SPIRAL WRAP UV BLK POLYETHYL 12MMOD
Long Description	Spiral Wrap, Black Polyethylene for Temperatures up to 100 Degrees Celsius (212 F), Weather and Ultraviolet Resistant, Outer Diameter of 12mm (0.472 Inch), Pitch of 13.9mm (0.547 Inch), Nominal Thickness of 0.9mm (0.035 Inch), Minimum Bundle Diameter of 9mm (0.354 Inch), Maximum Bundle Diameter of 65mm (2.56 Inches), Length of 10m (32.81 Feet)

Ordering

EAN	5414363174684
UPC	728494141732
Country of Origin	Thailand (TH)
Customs Tariff Number	3926909990
Selling Unit of Measure	roll

Container Information

Package Level 1 Units	1 reel
Package Level 1 Width	13.78 in 350 mm
Package Level 1 Height	0.24 in 6 mm

Package Level 1 Depth / Length	13.78 in 350 mm
Package Level 2 Units	30 reel
Package Level 2 Width	16.73 in 425 mm
Package Level 2 Height	13.58 in 345 mm
Package Level 2 Depth / Length	16.73 in 425 mm

Additional Information

Application	For Temperatures up to 100 Degrees Celsius (176 F)
Brand / Label	Catamount
Color	Black
Effective Date	20051206
Material	Polyethylene
Outside Diameter	0.47 in 12 mm
Pitch	0.55 in ; 13.9 mm
Product Name	PLASTIC CONDUIT
Product Type	Spiral Wrap
Temperature Range	-40 to 212 °F -40 to 100 °C
Wall Thickness	0.035 in 0.9 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SRPE-12-0
Instructions and Manuals	SRPE-12-0

Classifications

ETIM 6	EC002604 - Cable bundle hose
ETIM 7	EC002604 - Cable bundle hose
ETIM 8	EC002604 - Cable bundle hose
UNSPSC	39131604
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5395 >> Spiral wrapping

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

