

PRODUCT-DETAILS

# CPS25B-25

## BRAIDED SLEEVE BLK PLYE 25 DIA 25M



### General Information

Extended Product Type	CPS25B-25
Product ID	7TCG054800R0042
EAN	5414363103363
Catalog Description	BRAIDED SLEEVE BLK PLYE 25 DIA 25M
Long Description	Non-Flame Retardant Braided Sleeve, Black Polyester for Temperatures up to 150 Celsius (302 F), Nominal Diameter 25mm (0.984 Inches), Expandable Diameter Range 18mm (0.709 Inches) to 34mm (1.34 Inches), Mini-Reel Length 25m (82.02 Feet)

### Ordering

EAN	5414363103363
UPC	786210570990
Country of Origin	France (FR)
Customs Tariff Number	5609004000
Selling Unit of Measure	roll

### Dimensions

Product Net Depth / Length	82.02 ft 25 m
----------------------------	------------------

### Container Information

Package Level 1 Units	1 reel
Package Level 2 Units	5 reel
Package Level 2 Width	8.3 in 211 mm
Package Level 2 Height	8.2 in 208 mm
Package Level 2 Depth / Length	10.2 in 259 mm

---

### Additional Information

Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Black
Effective Date	19980621
Material	Polyester
Product Name	OTHER ARTICLES OF YARN
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	CPS25B-25
Instructions and Manuals	CPS25B-25

---

### Classifications

ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

---

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

