

PRODUCT-DETAILS

CPS6G-100

BRAIDED SLEEVE GRY PLYE 6 DIA 100M



General Information

Extended Product Type	CPS6G-100
Product ID	7TCG054800R0101
EAN	5414363103615
Catalog Description	BRAIDED SLEEVE GRY PLYE 6 DIA 100M
Long Description	Non-Flame Retardant Braided Sleeve, Gray Polyester for Temperatures up to 150 Celsius (302 F), Nominal Diameter 6mm (0.236 Inches), Expandable Diameter Range 4mm (0.157 Inches) to 11mm (0.433 Inches), Mini-Reel Length 100m (328.08 Feet)

Ordering

EAN	5414363103615
UPC	786210511146
Country of Origin	France (FR)
Customs Tariff Number	5609004000
Selling Unit of Measure	roll

Dimensions

Product Net Depth / Length	328.08 ft 100 m
----------------------------	--------------------

Container Information

Package Level 1 Units	1 reel
Package Level 2 Units	5 reel
Package Level 2 Width	7.5 in 191 mm
Package Level 2 Height	3.8 in 97 mm
Package Level 2 Depth / Length	7.5 in 191 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Gray
Effective Date	19980621
Material	Polyester
Product Name	CATAMOUNT FASTENING PRODUCTS
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	CPS6G-100
Instructions and Manuals	CPS6G-100

Classifications

ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

