

---

PRODUCT-DETAILS

# CPS12G-50-CV0

## BRAID SLEEVING CONF CV0 GREY



---

### General Information

Extended Product Type	CPS12G-50-CV0
Product ID	7TCG054800R0112
EAN	5415022263510
Catalog Description	BRAID SLEEVING CONF CV0 GREY
Long Description	Flame Retardant Braided Sleeve, Gray Polyester for Temperatures -50 Degrees Celsius (-58 F) up to 150 Celsius (302 F), Nominal Diameter 12mm (0.472 Inches), Expandable Diameter Range 11mm (0.433 Inches) to 17mm (0.669 Inches), Mini-Reel Length 50m (164.04 Feet)

---

### Ordering

EAN	5415022263510
UPC	786209886118
Country of Origin	France (FR)
Customs Tariff Number	5609004000
Selling Unit of Measure	roll

---

### Dimensions

Product Net Depth / Length	164.04 ft 50 m
----------------------------	-------------------

---

### Container Information

---

Package Level 1 Units	1 reel
Package Level 1 Width	1 in 25 mm
Package Level 1 Height	1 in 25 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 2 Units	5 reel
Package Level 2 Width	14.76 in 375 mm
Package Level 2 Height	13.78 in 350 mm
Package Level 2 Depth / Length	29.53 in 750 mm

### Additional Information

Brand / Label	Catamount
Bundle Diameter	0.04 to 2.6 in 1 to 66 mm
Color	Gray
Effective Date	20140627
Material	Polyester
Product Name	OTHER ARTICLES OF YARN STRIP
Product Type	Braided Sleeve
Temperature Range	-58 to 302 °F -50 to 150 °C

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	CPS12G-50-CV0
Instructions and Manuals	CPS12G-50-CV0

### Classifications

ETIM 6	EC001937 - Cable protection for installation duct
ETIM 7	EC001937 - Cable protection for installation duct
ETIM 8	EC001937 - Cable protection for installation duct
UNSPSC	39131602
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5392 >> Expandable braided sleeving

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

