

# Eaton ABC-15-R

Catalog Number: ABC-15-R

Eaton GBB Series Very fast-acting fuse, 6A, 250 Vac, 125 Vdc, R



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Bussmann series ABC fast-acting fuse	ABC-15-R
	<b>UPC</b>
	051712646192
<b>EAN</b>	<b>Product Height</b>
5027590211406	32 mm
<b>Product Diameter</b>	<b>Product Weight</b>
6 mm	2.3 g
<b>Compliances</b>	<b>Catalog Notes</b>
RoHS Compliant CE Marked	Ceramic body allows for higher amp/volt rating combinations.

## defaultTaxonomyAttributeLabel

### Type

Electronic

### Application

Electronic circuits

### Amperage Rating

15 A

### Melting (I<sup>2</sup>T)

Typical pre-arc: 200.2

### Resistance

0.00553 ohms DC cold

### Voltage drop

0.1mV typical

### Interrupt rating

10 kAIC at 125 Vac/dc

750 AIC at 250 Vac

### Fuse indicator

Non-indicating

### Connection

Ferrule end x ferrule end

### Response time

4 hr at 100%, 60 min at 135%, 120 sec at 200%

### Material

Nickel-plated brass endcaps

Ceramic tube

### Quantity

5

### Voltage rating

250 Vac, 125 Vdc, 32 Vac (self certified)

## Resources

### PEP Eco-passport

EATO-00033-V01.01-EN

### Specifications and datasheets

Eaton Specification Sheet - ABC-15-R

Eaton ABC fast-acting ceramic tube fuses data sheet



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)