


## Chipset Cooler

Low-noise, compact chipset cooler. Thermally conductive tape is pre-applied.

Product Code: AK-210-BK

[Where to Buy](#) 

[OVERVIEW](#)

[SPECIFICATION](#)

[REVIEWS](#)

[SUPPORT](#)

[RELATED PRODUCTS](#)



<b>Application</b>	Chipset cooler
<b>Cooler dimension</b>	38 x 38 x 13 (H) mm
<b>Heatsink material</b>	Aluminium
<b>Weight</b>	37.6g
<b>Installation</b>	Thermally conductive adhesive tape (pre-applied)
<b>Fan dimension</b>	40 x 40 x 10.5 mm
<b>Fan speed</b>	5400 RPM
<b>Fan airflow</b>	5.52 CFM (9.2 m <sup>3</sup> /h)
<b>Fan air pressure</b>	2.41 mm H <sub>2</sub> O
<b>Noise level</b>	28.5 dB(A)
<b>Current rating</b>	0.10 A
<b>Voltage rating</b>	12V DC
<b>Bearing type</b>	EBR Bearing
<b>Fan life expectancy</b>	40,000 hours

Fan connector


3pin

Product code

AK-210-BK

---

AKASA (@akasa\_tech)



### DISCOVER

About Akasa  
Where to Buy  
Press Room

### SUPPORT



Legacy Products  
Contact Us  
Terms and Privacy

### STAY UP TO DATE!

Subscribe now for free alerts on newly added products, exclusive deals and more.

name@example.com



 ENGLISH 

© AKASA ALL RIGHT RESERVED.