




Nero LX 2

High Performance Ultra-Low Profile 4-Heatpipe Cooler

High performance low profile four direct contact heatpipes cooler with only 57mm tall. Suitable for HTPC or slim system with limited space.

Product Code: AK-CC4016EP01

[Where to Buy](#) 

[OVERVIEW](#)

[SPECIFICATION](#)

[REVIEWS](#)

[SUPPORT](#)

[RELATED PRODUCTS](#)



General Information

Socket Type	Intel LGA775, LGA1150, LGA1151, LGA1155, LGA1156, LGA1200, LGA1366, AMD Socket AM2, AM2+, AM3, AM3+, AM4, FM1, FM2, FM2+
Suggestion TDP (W)	95
Cooler Dimension	120 x 120 x 57 mm
Heatsink Material	Aluminium fins with copper heatpipes
Installation	Mounting screw and bracket kit
Weight	282g
Product Code	AK-CC4016EP01

Fan Specification

Dimension	120 x 120 x 15 mm
Bearing	EBR Bearing
Fan Speed	600 - 1800 RPM
Max Airflow	61.37 CFM
Max Air Pressure	1.72 mm H ₂ O

Max Air Pressure 1.72 mmH₂O

Noise Level 32.9 dB(A)

Current Rating for Fan 0.33A

Voltage Rating for Fan DC 12V

Fan Connector 4-pin PWM

Fan Life Expectancy 40,000 hours

Warranty 2 years

Contents / Package



AKASA (@akasa_tech)



DISCOVER

About Akasa
Where to Buy
Press Room



SUPPORT

Legacy Products
Contact Us
Terms and Privacy

STAY UP TO DATE!

Subscribe now for free alerts on newly added products, exclusive deals and more.



 ENGLISH 

© AKASA ALL RIGHT RESERVED.