




NEW

Extra-Safe Low-Profile Aluminium Intel® LGA1700 Thin Mini-ITX Cooler with Copper Core

Super low-profile 26.92mm heatsink with embedded fan provides low-noise compact cooling solution for Intel® LGA1700 processors up to 65W TDP in thin mini-ITX and SFF chassis.

Product Code: AK-CC6610EP01

Where to Buy 



General Information

| | |
|--------------------|----------------------------------|
| Socket Type | Intel LGA1700 |
| Suggestion TDP (W) | 65 |
| Cooler Dimension | 87.2 x 85.2 x 26.92 mm |
| Heatsink Material | Aluminium fins with copper core |
| Installation | Metal screws and retention plate |
| Weight | 242g |
| Product Code | AK-CC6610EP01 |

Fan Specification

| | |
|------------|----------------|
| Dimensions | Ø75 x 10 mm |
| Bearing | EBR Bearing |
| Fan Speed | 600 - 3000 RPM |

| | |
|------------------------|------------------|
| Max Airflow | 23.45 CFM |
| Max Air Pressure | 1.81 mm-H2O |
| Noise Level | 15 - 30.75 dB(A) |
| Current Rating for Fan | 0.19A |
| Voltage Rating for Fan | DC 12V |
| Fan Connector | 4-pin PWM |
| Fan Life Expectancy | 40,000 hours |
| Warranty | 2 years |

Contents / Package

-



AKASA (@akasa_tech)



DISCOVER

About Akasa
Where to Buy
Press Room

SUPPORT



Legacy Products
Contact Us
Terms and Privacy

STAY UP TO DATE!

Subscribe now for free alerts on newly added products, exclusive deals and more.

name@example.com



 ENGLISH 

© AKASA ALL RIGHT RESERVED.