

According to Regulation (EU) 2020/878, amending Annex II of Regulation (EC) No 1907/2006 (REACH)

BTFO-81-2H (TACKY FLUX)

Printing date: 10/03/2023 Revision date: 09/03/2023 Version: 2 Page: 1 / 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Trade name	: BTFO-81-2H	
Description	: Soldering tacky flux	
Trade name	Regulation	UFI
BTFO-81-2H	Type 1.1.2.C acc. UNE-EN ISO 9454 ROM1 acc. DIN EN 61190-1-1	// RE50-S0ST-A00C-GQ1N
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	: Repair soldering. Reflow applications. Ti industrial use.	nning and other applications. For professional and
Uses advised against	: Do not use for other purposes other than those described in the product.	
1.3. Details of the supplier of the safety data sheet		
Supplier	: BROQUETAS, S.L.	
Address	: c/ Can Sallarès 12-16 08740 Sant Andreu de la Barca, Barcelo	na (Spain)
Telephone number	: +34 936401900	
E-mail address for a competent person responsible for the safety data sheet:	: broquetas@broquetas.com	Supplier: Transfer Multisort Elektronik Ltd. Coleshill, Birmingham Coleshill House Suite 1C, 1 Station Ro
1.4. Emergency telephone number	: +34 936401900	+44 1675790026 e-mail: office@tme-uk.eu
Availability	: Monday to Friday from 8:00 to 14:00 h.	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) № 1272/2008 [CLP]	
Hazard Classes/ categories	Hazard statements (H)*
GHS07 Harmful	H315: Causes skin irritation. Skin Corr 1B. H317: May cause an allergic skin reaction. Skin Sens 1. H319: Causes serious eye irritation. Eye Dam. 1. H412: Harmful to aquatic life with long lasting effects. Aquatic Chronic 3.

2.2. Label elements

Labelling (CLP)

Regulation (EC) Nº 1272/2008 [CLP]		
Signal Word and Pictograms	Hazard statements (H)	Precautionary Statements (P)*
Warning		
(!)	H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H412: Harmful to aquatic life with long lasting effects.	P202, P270, P260, P280, P301+P330+P331, P303+P361+P353, P363, P304+P340, P305+P351+P338, P501
GHS07		

*Full text of the Precautionary Statements (P): See section 16



According to Regulation (EU) 2020/878, amending Annex II of Regulation (EC) No 1907/2006 (REACH)

BTFO-81-2H (TACKY FLUX)

Printing date: 10/03/2023 Revision date: 09/03/2023 Version: 2 Page: 2/7

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

2.3. Other hazards

Other hazards Compliance with PBT/vPvB criteria	: The product does not contain substances classified as PBT or vPvB.
Other hazards not identified in the classification	Risk of burn hazards when touching hot parts of the unit at high temperatures. Inhaling the mothball fumes can cause health problems. Ensure proper ventilation. It has no known endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Composition:

Hazardous ingredients	Content (%)	CAS number	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Rosin / Rosin derivatives	40 - 60	8050-09-7	Skin Sens. 1: H317
Dicarboxylic acids	2 - 10	124-04-9	Eye irritation category 2: H319

*The product contains no known nanomaterials.

SECTION 4: First aid measures		
4.1. Description of first aid measures		
General notes	: If a health problem is detected, seek medical advice.	
In case of inhalation	: Move exposed person to fresh air and seek medical advice.	
In case of contact with skin	: Clean with soap and water. If symptoms persist consult doctor.	
In case of contact with eyes	: Immediately rinse long with water for several minutes holding the eyelids open for a good cleaning. Consult an ophthalmologist.	
In case of ingestion	: Seek medical advice. Do not induce vomiting. Give to drink water if the person is conscious. DO NOT give water to an unconscious person (In suitable conditions of use the product is not ingestible).	
Recommendations for first aid responders	: The protection to first-aid personnel: Should wear the protection equipment of level C to give first aid in the safe area.	
4.2. Most important symptoms and effects, both acute and delayed	: Rinse mouth immediately and drink plenty of water.	
4.3. Indication of any immediate medical attention and special treatment needed	: Symptomatic treatment.	
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Co-ordinate fire-fighting measures to the fire surroundings	
Unsuitable extinguishing media	: D powder.	
5.2. Special Hazards arising from the substance or mixture		

Hazardous combustion products : Non flammable

B	SAFETY DATA SHEET According to Regulation (EU) 2020/878, amending Annex II of Regulation (EC) No 1907/2006 (REACH) BTFO-81-2H (TACKY FLUX)		
BRUQUEINS	Printing date: 10/03/2023	Version: 2	
LA SOLDADURA SEGURA · THE RELIABLE SOLDER	Revision date: 09/03/2023	Page: 3 / 7	
Other specific hazards	: In case of fire: Wear self-containe	ed breathing apparatus.	

5.3. Advice for firefighters

: In case of fire, use personal protective equipment as required. Firefighters must wear fire resistant protection equipment.

SECTION 6: Accidental reléase measures		
6.1. Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	: Follow the indications described in section 8.	
For emergency responders	: Avoid contact with skin, eyes and clothing. Follow the indications described in section 8.	
6.2. Environmental precautions	: Do not flush product into public sewer, water systems or surface waters.	
6.3. Methods and material for containment and cleaning up	Collect the product in closed recipients and properly labelled. Managing wastes through an authorised waste management entity.	
6.4. Reference to other sections	: For more information, see sections 8 and 13.	
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Prevention and protection measures	: The product may be handled only by appropriately trained personnel and with appropriate Individual protection measures. During the working process the product attains high temperatures so using suitable globes and eye protection and wearing a mask in poorly ventilated areas is recommended, as it is described in section 8.2.	
Advice on general occupational hygiene	: Do not eat, drink, or smoke while handling the product. Keep proper hygiene after handling. Not explosive.	
7.2. Conditions for safe storage, including any compatibilities		
Technical measures and storage conditions	: Minimum storage temperature: +5°C Maximum storage temperature: +25°C	
Containers requirements and storage areas	: Keep away from heat. Do not frost.	
Further information for storage	: Keep away from heat or sunlight.	
7.3. Specific end use (s)	: Surface active agent Further information: refer to Technical Data Sheet	

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
Occupational exposure limits	: <u>Rosin flux fumes (CAS 8050-09-7):</u> MEL: 0.05 mg/m ³ 8 h. TWA MEL (15 min): 0.15 mg/m ³	
DNELs and PNECs	: Not available.	
8.2. Exposure controls		



According to Regulation (EU) 2020/878, amending Annex II of Regulation (EC) No 1907/2006 (REACH)

BTFO-81-2H (TACKY FLUX)

Printing date: 10/03/2023	Version: 2
Revision date: 09/03/2023	Page: 4 / 7

Appropriate engineering controls	: Use only in open or well ventilated areas. Use preferably localized extraction.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	: Proper handling may include wearing protective glasses.	
Skin protection		
Hand protection	: Avoid contact with the skin.	
Others	: Use the appropriate protective clothing of welders.	
Respiratory protection	: Avoid breathing dust or fumes during use.	
Environmental exposure controls	: Take into account the usual precautions to protect the environment, see section 6.2.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
Appearance	: Yellow/beige gel
Odour	: Characteristic.
Odour threshold	: Not available / Not applicable.
рН	: Not available / Not applicable.
Melting point	: >60°C
Initial boiling point and boiling range	: Undetermined.
Flash point	: Non flammable.
Evaporation rate	: Not available / Not applicable.
Flammability (solid, gas)	: Not flammable.
Upper/lower flammability or explosive limits	: Not applicable.
Vapour pressure (20ºC)	: Undetermined
Vapour density	: Not applicable.
Density at (20ºC)	: 0.9-1.0 g/cm ³
Solubility(ies)	: Partially.
Decomposition temperature	: Not available / Not applicable.
Viscosity	: Not applicable.
Explosive properties	: Not applicable.
Oxidising properties	: Not applicable.
9.2. Other information	: No further relevant information available.

SECTION 10: Stability and reactivity	
10.1. Reactivity	: No ignition, explosion, self-heating or visible decomposition.



SAFETY DATA SHEET According to Regulation (EU) 2020/878, amending Annex II of Regulation (EC) No 1907/2006 (REACH)

	BTFO-81-2H (TACKY FLUX)		
BROQUETAS	Printing date: 10/03/2023 Revision date: 09/03/2023	Version: 2 Page: 5/7	
		-	
10.2. Chemical stability	 The study does not need to be conducted because the substance is known to be stable at roo temperature for prolonged periods of time (days). 		
10.3. Hazardous reactions	: No risks worthy of mention.		
10.4. Conditions to avoid	: Frost.		
10.5. Materials to avoid	: Strong oxidants, alkali metals		
10.6. Hazardous decomposition products	: Carbon dioxide. Carbon monox	ide	
SECTION 11: Toxicological information	on		
11.1. Information on toxicological effects			
Hazard/Effect class Acute toxicity	 CAS 124-04-9 Dicarboxylic acid Oral LD50 (rat) → 3600 mg/kg Dermal LD50 (rat) → >7940 mg 		
	CAS 8050-09-7 Rosin Oral LD50 (rat) → 3 mg/kg Dermal LD50 (rat) → >2000 mg	g/kg	
Skin corrosion/irritation	: On the basis of the available da	ata, the classification criterion is not complied.	
Serious eye damage/irritation	: On the basis of the available da	ata, the classification criterion is not complied.	
Respiratory or skin sensitisation	: On the basis of the available da	ata, the classification criterion is not complied.	
Germ cell mutagenicity	: On the basis of the available da	ata, the classification criterion is not complied.	
Carcinogenicity	: On the basis of the available da	ata, the classification criterion is not complied.	
Reproductive toxicity	: On the basis of the available da	ata, the classification criterion is not complied.	
STOT-single exposure	: On the basis of the available da	ata, the classification criterion is not complied.	
STOT-repeated exposure	: On the basis of the available da	ata, the classification criterion is not complied.	
Aspiration hazards	: On the basis of the available of	data, the classification criterion is not complied.	
Symptoms	: -		
Chronic effects	: -		
11.2. Information on other hazards 11.2.1. Endocrine disrupting properties	: It contains no known endocrine	disruptor	
11.2.2. Information on other hazards	: Not applicable.		
SECTION 12: Ecological information			
12.1. Toxicity information	: The product is not: Ecotoxic.		
12.2. Persistence and degradability	: The product is biodegradable.	s of this mixture are determined by the ecotoxicological properties section 3).	
12.3. Bioaccumulative potential	: On the basis of existing data longer term damage to the envi	about the elimination/degradation and bioaccumulation potentia ironment is unlikely.	
12.4. Mobility in soil	: No data available.		
12.5. Results PBT and vPvB assessment	: The product does not contain a	any substance classified as PBT or vPvB.	
12.6. Endocrine disrupting properties	: It contains no known endocrine		
12.7 Other side offects	 No other side effects are known 		

12.7. Other side effects

: No other side effects are known.



According to Regulation (EU) 2020/878, amending Annex II of Regulation (EC) No 1907/2006 (REACH)

BTFO-81-2H (TACKY FLUX)

Printing date: 10/03/2023

Revision date: 09/03/2023

Version: 2

Page: 6 / 7

SECTION 13: Disposal considerations

13.1. Waste treatment methods Appropiate methods of waste treatment of both substance or mixtures Appropriate methods of waste

packaging

- : Product waste must be transported to an authorized waste disposal plant. Dispose according to local and national regulations. Do not remove by direct discharge into rivers or sewage system.
- : Handle contaminated containers as the product itself.

SECTION 14: Transport information

treatment of contaminated

	ADR/RID	AND/ADNR	IMDG	ΙΑΤΑ
14.1. UN number				
14.2. UN proper shipping name				
14.3. Transport hazard class (es)		The product is not classified according to transport agreements.		
14.4. Packing group	The product			
14.5. Environmental hazards				
14.6. Special precautions for user				

 14.7. Transport in bulk according to Annex
 : Not applicable.

 II of MARPOL73/78 and the IBC Code
 : Not applicable.

SECTION 15: Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
EU regulations	
REACH authorizations	: The product does not contain a substance present in the candidate list of SVHC, and in Annex XIV of REACH.
REACH use restrictions	: The product has no restriction of use.
Regulation (EC) 2037/2000 on substances that deplete the ozone layer	: Not applicable.
15.2. Chemical safety assessment	: An evaluation of the product's chemical safety has not been carried out.
SECTION 16: Other information Changes to the previous version	: Format adaptation to the REACH Regulation amendment, Regulation (EU) 2020/878.
	Changes to sections 1.1, 1.2, 2.3, 3.2, 11.2, 12.6 and 12.7. This SDS replaces version 1.
Abbreviations and acronyms	: SDS: Safety data sheet
	PBT: Persistent, bioaccumulative and toxic
	vPvB: Very persistent and very bioaccumulative
	TLV: Thershold Limit Values
	TWA: Time Weighted Average
	ACGIH: American Conference of Industrial Hygienists
	DNEL: Derived non-effect level
	PNEC: Predicted non-effect concentration
	SVHC: Substances of Very High Concern
	LD50: Median Lethal dose.
	LC50: Median Lethal Concentration.



SAFETY DATA SHEET

According to Regulation (EU) 2020/878, amending Annex II of Regulation (EC) No 1907/2006 (REACH)

	BTFO-81-2H (TACKY FLUX)		
BROQUETAS	Printing date: 10/03/2023	Version: 2	
LA SOLDADURA SEGURA • THE RELIABLE SOLDER	Revision date: 09/03/2023	Page: 7 / 7	
	ATEmix: Acute toxicity estimated	of the mixture.	
Key literature references and sources for data	: Safety data sheet of the components. https://echa.europa.eu/		
Indication of which of the methods of evaluating information referred to in Article 9 of Regulation (EC) No 1272/2008 was used for the purpose of classification	: Classification of the mixture from	the components classifications.	
Full text of hazard statements (H)	 H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H412: Harmful to aquatic life with long lasting effects. 		
Full Text of precautionary statements	 P270 Do not eat, drink or smoke when using this product. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P363 Wash contaminated clothing before reuse. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container to Dispose of this material and its container to hazardous or special waste collection point. Consult the local waste disposal expert about waste disposal 		
Advice on any training appropriate for workers:	: Maintenance and production plant crew has received information and training on the safety instructions in plant and equipment.		

NOTES This information only refers to the product described in this file and may not be valid if it is used in conjunction with another product (s) or in any process. The information presented is based on our most accurate level of current knowledge and is provided in good faith but cannot be guaranteed or ensured its accuracy or reliability. It is a guide for the safe handling, use, processing, storage, transportation and disposal of this product and should not be considered a guarantee or a quality specification.