

U.I. Lapp GmbH	PRODUCT INFORMATION	
	SKINDICHT® KU, KUS, KUK	13.01.2016

SKINDICHT® KU, KUS, KUK, polyamide, glass fibre-reinforced reducers for maximum mechanical stability, with PG connection thread



Space requirement

Application range

Machines
Devices
Housings

Benefits

Enables the use of cable glands with smaller connection threads than the existing threaded holes
Glass fibre-reinforced for maximum mechanical stability

Product Make-up

PG connection thread

Product Make-up

SKINDICHT® KU with hexagon and flat design
SKINDICHT® KUS with hexagon and larger height
SKINDICHT® KUK with knurled heads

Remark

Photographs are not to scale and do not represent detailed images of the respective products.

Technical Data

Classification:	ETIM 5.0 Class-ID: EC000441 ETIM 5.0 Class-Description: Cable screw gland
Colour delivered:	Light grey (RAL 7035)
Material:	Polyamide, glass fibre-reinforced
Temperature range:	KU, KUS: -40°C to +100°C KUK: -20°C to +80°C



Product Management	Document: LAPP_PRO1105EN.pdf	1 / 3
--------------------	------------------------------	-------

Part number	Article designation / sizeOuter / inner
SKINDICHT® KU	
51730010	KU 11/7
52025100	KU 13,5/7
52025110	KU 16/9
52025120	KU 21/11
51730040	KU 21/13,5
52025130	KU 29/13,5
51730050	KU 29/16
52025140	KU 36/16
52025150	KU 36/21
52025050	KU 36/29
52025160	KU 42/21
52025170	KU 42/29
52025060	KU 42/36
52025180	KU 48/29
52025190	KU 48/36
52025070	KU 48/42
SKINDICHT® KUS	
52025040	KUS 9/7
51730060	KUS 11/9
51730070	KUS 13,5/11
51730080	KUS 16/13,5
SKINDICHT® KUK	
51730020	KUK 13,5/9
51730025	KUK 16 /9
51730030	KUK 16/11
51730035	KUK 21/13,5
51730090	KUK 21/16
51730100	KUK 29/21
51730110	KUK 36/29

U.I. Lapp GmbH	PRODUCT INFORMATION	 LAPP GROUP
SKINDICHT® KU, KUS, KUK		13.01.2016

