

PRF Bajol

Date 17.8.2015

Previous date: 17.8.2015

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier****1.1.1 Commercial Product Name**

PRF Bajol

1.1.2 Product code

PIBAJOL52

1.2 Relevant identified uses of the substance or mixture and uses advised against**1.2.1 Recommended use**

Lubricant

1.3 Details of the supplier of the safety data sheet**1.3.1 Supplier**

Taerosol Oy

Street address

Hampuntie 21

Postcode and post office

36220

Postcode and post office

Kangasala Finland

Telephone

03-3565600

Email

heikki.jalava@taerosol.com

1.4 Emergency telephone number**1.4.1 Telephone number, name and address**09-471 977 tai 09-4711 Myrkytystietokeskus / HUS
PL 340 (Haartmaninkatu 4), 00029 HUS (Helsinki)**2. HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****1272/2008 (CLP)**

Flam. Aerosol 1, H222

Flam. Aerosol 1, H229

Skin Irrit. 2, H315

STOT SE 3, H336

Aquatic Chronic 2, H411

67/548/EEC - 1999/45/EC

F+, Xi, N; R12-38-51/53-67

2.2 Label elements**1272/2008 (CLP)**

GHS09 - GHS07 - GHS02

Signal word **Danger****Hazard Statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P102 Keep out of reach of children.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Pressurized container: Do not pierce or burn, even after use.

P262 Do not get in eyes, on skin, or on clothing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.



PRF Bajol

Date 17.8.2015

Previous date: 17.8.2015

2.3 Other hazards**3. COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Hazardous components**

| CAS/EC and Reg. number | Chemical name of the substance | Concentration | Classification |
|-------------------------------|--|----------------------|--|
| 64742-49-0 265-151-9 | Naphtha (petroleum),hydrotreatedlight | 30-40% | CLP:Flam.Liq. 2; H225 R 12 Skin.Irrit. 2; H315 R 38 STOT SE 3; H336 R 67 Asp.tox 1; H304 R 65 Aquatic Chronic 2; H411 R 51/53 |
| 106-97-8 200-857-2 | butan | 10-20% | F+; R12 ;Flam. Gas 1, H220; Press. Gas |
| 74-98-6 200-827-9 | propan | 10-20% | F+; R12 ;Flam. Gas 1, H220; Press. Gas |
| 68037-01-4 | Synthetic Oil | 20-40% | - |

3.3 Other information

not determined

4. FIRST AID MEASURES**4.1 Description of first aid measures**

Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

4.1.2 Inhalation

In the case of inhalation of aerosol/mist consult a physician if necessary.

4.1.3 Skin contact

Get medical attention if symptoms occur.

4.1.4 Eye contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

4.1.5 Ingestion

If swallowed, call a poison control centre or doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard if swallowed - can enter lungs and cause damage.

4.3 Indication of immediate medical attention and special treatment needed

Aspiration hazard

5. FIREFIGHTING MEASURES**5.1 Extinguishing media****5.1.1 Suitable extinguishing media**

ABC powder,Carbon dioxide (CO2)

5.1.2 Extinguishing media which must not be used for safety reasons

Do NOT use water jet.

PRF Bajol

Date 17.8.2015

Previous date: 17.8.2015

5.2 Special hazards arising from the substance or mixture

Explosive reaction may occur on heating or burning.

5.3 Advice for firefighters

Alcohol-resistant foam

5.4 Specific methods

Immediately evacuate personnel to safe areas.

6. ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Prevent unauthorised persons entering the zone. Prevent unauthorised persons entering the zone. Pay attention to the spreading of gases especially at ground level (heavier than air) and to the direction of the wind.

6.2 Environmental precautions

Prevent product from entering drains.

6.3 Methods and materials for containment and cleaning up

not determined

6.4 Reference to other sections

not determined

7. HANDLING AND STORAGE**7.1 Precautions for safe handling**

Do not use in areas without adequate ventilation. No sparking tools should be used. Do not taste or swallow. Do not spray on a naked flame or any incandescent material. Do not smoke. Do not empty into drains. Do not store near combustible materials. Take precautionary measures against static discharges. Prevent vapour buildup by providing adequate ventilation during and after use.

7.2 Conditions for safe storage, including any incompatibilities

Do not store near combustible materials. Storage of flammable liquids

7.3 Specific end use(s)

not determined

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

not determined

8.1.1 Threshold limits

| | | | |
|------------|--|------------------------------|---------------------------------|
| 64742-49-0 | Naphtha(petroleum), hydrotreatedlight | 500 ppm (8 h) | 630 ppm (15 min) |
| | | 1800 mg/m ³ (8 h) | 2300 mg/m ³ (15 min) |
| 106-97-8 | butan | 800 ppm (8 h) | 1000 ppm (15 min) |
| | | 1900 mg/m ³ (8 h) | 2350 mg/m ³ (15 min) |
| 74-98-6 | propan | 800 ppm (8 h) | 1100 ppm (15 min) |
| | | 1500 mg/m ³ (8 h) | 2000 mg/m ³ (15 min) |

8.1.2 Other information on limit values

not determined

8.1.3 Limit values in other countries

not determined

8.1.4 DNELs

not determined

8.1.5 PNECs

not determined

PRF Bajol

Date 17.8.2015

Previous date: 17.8.2015

- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls**
not determined
- 8.2.2 Individual protection measures**
- 8.2.2.1 Respiratory protection**
Provide adequate ventilation. Do not inhale aerosol. Even in case of a full release, due to the small amount of substances present, it is not expected that exposure limits will be reached.
- 8.2.2.2 Hand protection**
It is good practice in industrial hygiene to avoid contact with solvents by using appropriate protective measures whenever possible.
- 8.2.2.3 Eye/face protection**
Avoid contact with the skin and the eyes.
- 8.2.2.4 Skin protection**
Avoid contact with the skin and the eyes.
- 8.2.3 Environmental exposure controls**
not determined

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Important Health Safety and Environmental Information**
- 9.1.1 Appearance**
aerosol
- 9.1.2 Odour** hydrocarbon-like
- 9.1.3 Odour threshold** not determined
- 9.1.4 pH** 7
- 9.1.5 Melting point/freezing point** -10°C
- 9.1.6 Initial boiling point and boiling range** < -20 °C
- 9.1.7 Flash point** < 0 °C
- 9.1.8 Evaporation rate** not determined
- 9.1.9 Flammability (solid, gas)** Extremely flammable.
- 9.1.10 Explosive properties**
- 9.1.10.1 Lower explosion limit** 2,3 til-%
- 9.1.10.2 Upper explosion limit** 9,5 til-%
- 9.1.11 Vapour pressure** not determined
- 9.1.12 Vapour density** not determined
- 9.1.13 Relative density** not determined
- 9.1.14 Solubility(ies)**
- 9.1.14.1 Water solubility** insoluble
- 9.1.14.2 Fat solubility (solvent - oil to be specified)** Soluble in hydrocarbons
- 9.1.15 Partition coefficient: n-octanol/water** not determined
- 9.1.16 Auto-ignition temperature** not determined
- 9.1.17 Decomposition temperature** not determined
- 9.1.18 Viscosity** not determined
- 9.1.19 Explosive properties** not determined
- 9.1.20 Oxidising properties** not determined
- 9.2 Other information**
not determined

PRF Bajol

Date 17.8.2015

Previous date: 17.8.2015

10. STABILITY AND REACTIVITY

- 10.1 Reactivity**
Exposure to sunlight.
- 10.2 Chemical stability**
Stable
- 10.3 Possibility of hazardous reactions**
not determined
- 10.4 Conditions to avoid**
Do not expose to temperatures above 50 °C.
- 10.5 Incompatible materials**
not determined
- 10.6 Hazardous decomposition products**
not determined

11. TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects**
Aspiration hazard if swallowed - can enter lungs and cause damage.
- 11.1.1 Acute toxicity**
LD50/oral/rat =>5840 mg/kg OECD Test Guideline 401
LC50/inhalation/ 4 h/rat =>23.3 mg/LOECD OECD Test Guideline 403
- 11.1.2 Irritation and corrosion**
Solvents may degrease the skin. Prolonged skin contact may cause skin irritation.
- 11.1.3 Sensitisation**
not determined
- 11.1.4 Subacute, subchronic and prolonged toxicity**
not determined
- 11.1.5 STOT-single exposure**
Aspiration hazard if swallowed - can enter lungs and cause damage.
- 11.1.6 STOT-repeated exposure**
Prolonged or repeated contact may dry skin and cause irritation.
- 11.1.7 Aspiration hazard**
Aspiration hazard

12. ECOLOGICAL INFORMATION

- 12.1 Toxicity**
- 12.1.1 Aquatic toxicity**
LC50/96h/rainbow trout =10<LC/EC
LC50/96h/algae =10mg/l1
LC50/96h/Sheephead minnows =May cause long-term adverse effects in the aquatic environment.
- 12.1.2 Toxicity to other organisms**
May cause long-term adverse effects in the aquatic environment. Toxic to fish. Toxic to algae.
- 12.2 Persistence and degradability**
- 12.2.1 Biodegradation**
Bioaccumulation is unlikely.
- 12.2.2 Chemical degradation**
Readily biodegradable, according to appropriate OECD test.

PRF Bajol

Date 17.8.2015

Previous date: 17.8.2015

- 12.3 Bioaccumulative potential**
Bioaccumulation is unlikely.
- 12.4 Mobility in soil**
not determined
- 12.5 Results of PBT and vPvB assessment**
not determined
- 12.6 Other adverse effects**
not determined

13. DISPOSAL CONSIDERATIONS

- 13.1 Waste treatment methods**
Do not burn, or use a cutting torch on, the empty drum. Dispose of in accordance with local regulations.
- 13.2 Waste from residues / unused products**
not determined

14. TRANSPORT INFORMATION

- 14.1 UN number** 1950
- 14.2 UN proper shipping name** Aerosols
- 14.3 Transport hazard class(es)** 2.1
- 14.4 Packing group** 2
- 14.5 Environmental hazards** not determined
- 14.6 Special precautions for users**
not determined
- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**
not determined

15. REGULATORY INFORMATION

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
2B - Aerosols
- 15.2 Chemical safety assessment**
not determined

16. OTHER INFORMATION

- 16.1 Additions, Deletions, Revisions**
REGULATION (EC) No 453/2010
- 16.2 Key or legend to abbreviations and acronyms**
not determined
- 16.3 Key literature references and sources for data**
not determined
- 16.4 Classification procedure**
not determined
- 16.5 List of relevant R phrases, hazard statements, safety phrases and/or precautionary statements**
R12 Extremely flammable.
R38 Irritating to skin.

PRF Bajol

Date 17.8.2015

Previous date: 17.8.2015

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

16.6 Training advice

not determined

16.7 Recommended restrictions

not determined

16.8 Additional information available from:

tilaukset(at)taerosol.com