

## D-SUB contact insert - VS-09-BU-DSUB/9-MPT-0,5 - 1688395

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



D-SUB contact insert, shell size 1, with 9 signal contacts, female type of contact, screw connection, straight, for panel mounting frame and sleeve housing with IP67 protection



### Key Commercial Data

Packing unit	10 pc
GTIN	 4 017918 817534
Weight per Piece (excluding packing)	13.98 g
Custom tariff number	85366990
Country of origin	Germany

### Technical data

#### General data

Number of positions	9
Overvoltage category	III
Degree of pollution	2

#### Standards and Regulations

Flammability rating according to UL 94	V0
--	----

### Classifications

#### eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27261203
eCl@ss 7.0	27440202

# D-SUB contact insert - VS-09-BU-DSUB/9-MPT-0,5 - 1688395

## Classifications

### eCl@ss

eCl@ss 8.0	27440302
eCl@ss 9.0	27440205

### ETIM

ETIM 2.0	EC000437
ETIM 3.0	EC000437
ETIM 4.0	EC000438
ETIM 5.0	EC001132

### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

## Approvals

### Approvals

---

Approvals

EAC / EAC

---

Ex Approvals

---

Approvals submitted

---

### Approval details


EAC
-----

EAC
-----


## Drawings

## D-SUB contact insert - VS-09-BU-DSUB/9-MPT-0,5 - 1688395

Dimensional drawing



Schematic diagram



D-SUB contact insert

---