



Description

- Surface mount temperature compensated voltage controlled oscillator (TCVCXO) providing a high degree of frequency stability over a wide temperature range in a hermetically sealed ceramic package
- Model CFPT-125
- Model Issue number 10

Frequency Parameters

- Frequency 32.7680MHz
- Frequency Stability ±0.90ppm
- Operating Temperature Range -20.00 to 70.00°C
- Ageing ±1ppm typical in 1st year @25°C

Electrical Parameters

- Supply Voltage 3.3V ±5%
- Current Draw 3.00mA
- Supply current typical at 20MHz
- Supply Voltage Variation
 - <30MHz ±0.3ppm
 - 30MHz to <40MHz ±0.4ppm
 - 40MHz ±0.5ppm
- Load Variation: ±0.2ppm (@15pF ±10%)
 After Reflow: ±1.0ppm

Frequency Adjustment

- Pulling ±5ppm min
- Control Voltage 1.65V ±1.0V

Output Details

- Output Compatibility HCMOS
- Drive Capability 15pF (nominal)
- Rise and Fall Time 8ns max
- Duty Cycle 45/55%

Environmental Parameters

- Shock: IEC 60068-2-27, Test Ea: 980m/s² acceleration for 6ms, 3 shocks in each of 3 mutually perpendicular planes
- Vibration: IEC 60068-2-6, Test Fc, Procedure B4: 10Hz-60Hz 1.5mm displacement, 60-2000Hz at 98.1m/s², 30mins in 3 mutually perpendicular planes at 1 oct/min
- Solderability: MIL-STD-202, Method 208, Category 3
- Storage Temperature Range: -55 to 125°C

Manufacturing Details

- Soldering: Suitable for Convection Reflow soldering. Peak temperature 260°C for 10sec max
- Washing: Able to withstand aqueous washing

Compliance


- RoHS Status (2011/65/EU) Compliant
- REACH Status Compliant
- MSL Rating (JDEC-STD-033): 1

Packaging Details


- Pack Style: Bulk Loose in bulk pack
- Pack Size: 100




Outline (mm)




- Pad Connections
1. Voltage Control
 2. GND
 3. Output
 4. +Vs
- T1, T2, T3, T4,
Do Not Connect



Underside View



Test Circuit



* Inclusive of probe and jig capacitance

Sales Office Contact Details:

UK: +44 (0)1460 270200
 Germany: 0800 1808 443

France: 0800 901 383
 USA: +1 408.273.4530

Email: info@iqdfrequencyproducts.com
 Web: www.iqdfrequencyproducts.com



- *Alternative packing option available*

This document is correct at the time of printing; please contact your local office for the latest version.

Sales Office Contact Details:


UK: +44 (0)1460 270200
Germany: 0800 1808 443

France: 0800 901 383
USA: +1 408.273.4530


Email: info@iqdfrequencyproducts.com
Web: www.iqdfrequencyproducts.com



Test Circuit



Wave Form



Sales Office Contact Details:

UK: +44 (0)1460 270200
Germany: 0800 1808 443

France: 0800 901 383
USA: +1 408.273.4530

Email: info@iqdfrequencyproducts.com
Web: www.iqdfrequencyproducts.com